

**Pacific Wood Treating  
Corporation**

111 WEST DIVISION STREET • RIDGEFIELD, WASHINGTON 98642 • PHONE (206) 837-3562  
(503) 283-2093

Bob - : violations &  
should send NOV 8.  
Z Brown WA 6906  
6-13-83  
54

June 8, 1983

Mr. Robert Stamnes  
U. S. Environmental Protection Agency --  
Region X  
1200 Sixth Avenue, MS533  
Seattle, Washington 98101

RECEIVED  
JUN 13 1983  
TECHNICAL OPERATIONS SECTION

SUBJECT: Application No. WAD009422411,  
Pacific Wood Treating Corporation Plant Site  
Part "B" Application Request

Dear Mr. Stamnes,

Replying to George Hofer's letter of June 1, 1983 to Mark Moothart, and our subsequent phone conversation, please be advised that only the following plans have been formalized under 40CFR265. Copies are enclosed.

INSPECTION SCHEDULE

CONTINGENCY PLAN (Partially complete as the "Spill Prevention  
Control and Countermeasure Plan" (SPCC)


The balance of the plans requested are in process and will be completed shortly.

We are processing a formal application we received today for non-sudden insurance liability insurance and we have been told by the Fred S. James Co., our insurance broker, that we can expect an on-site inspection and study very soon by the potential carrier. Previously, we had submitted an environmental questionnaire requested by them.

I would like to meet with you sometime during the week of June 13th. I believe we will be meeting with the EPA/WDOE in Olympia on the Clay Pit that week. Perhaps we could coordinate the two subjects as we did on April 28th of this year.

At that time we will be able to make a positive statement to you regarding all of the questions posed by your letter. We will be meeting here this week to come to final decisions.

Sincerely Yours,

  
Vince McQuiggin  
Project Coordinator

Enclosure  
cc: George C. Hofer, EPA, Region X, Seattle  
Eric Egbers, WDOE, Olympia

VFM:srr

